

CL2 Series Sitting/standing table with sliding table top



Product features

- Ergonomic work table thanks to electromotive height adjustment and comfortable access to electrification thanks to sliding top
- Optional C-foot or T-foot with slight curvature, high
- stability
- Foot shape square tube
- For individual adaptation to requirements available in different widths (1200 to 2000 mm) and three depths (800, 900, 1000 mm)
- Large lifting range: from 650 to 1,280 mm
- Lifting speed 50 mm/sec
- Quiet operation: Noise level during operation < 42 dB
- The start-up behavior of the tables is very quiet and even
- Convenient cable management thanks to vertical and horizontal cable duct, cable outlets and CPU holder
- With premium collision protection
- Optional equipment Memory control

Electrification



Electrification options


- Sliding table top function provides convenient access to the cable channel
- Fixed table top with hinged cable channel
- Smart cable management due to flexible cable chain or cable stocking to guide the cables up to standing height as well as steel cable tray for invisible cable routing on the table leg; handling: easily

removable without tools through clip fastening


- Netbase: For direct, convenient access to power and data sockets with brush for dust seal and fixing the cables (only with fixed table top)
- Netbox: Sockets are accessible to the user directly at the table – can be individually equipped with power and data sockets
- Cable outlets: Round or square to match the shape of table base (only with fixed table top), can also be attached to the rear edge of the table (sliding top and fixed table top)


Dimensions

Reihe CL2 mit T-Fuß



Reihe CL2 mit C-Fuß






800 / 900

Colors and materials


frames



light white
(RAL 9016)



silver metallic



black

Surfaces: Genuine wood



maple




maple, oiled



whitewashed
oak



whitewashed
oak, oiled



oak



oak, oiled



beech



cherry wood



cherry wood,
oiled



walnut



walnut, oiled



smoked oak



black oak


Surfaces: Melamine



atlas white




cream white




soft white




light grey




Silk grey



grey brown



graphite



black



maple trim



oak light



beech light

Surfaces: lacquer




traffic white
(RAL 9016)




cream white
(RAL 9001)



silk grey
(RAL 7044)




iron grey
(RAL 7011)




grey brown
(RAL 8019)

Download planning data




Sitting/standing table with sliding table top 3DS




.DWG
3D

Sitting/standing table with sliding table top DWG




.FBX

Sitting/standing table with sliding table top FBX



.OBJ

Sitting/standing table with sliding table top OBJ



.PLN

Sitting/standing table with sliding table top PLN



.SKP

Sitting/standing table with sliding table top SKP